Inspectly

Løsninger ▼ Priser Cases Academy

Cookie Policy

Inspectly's Cookie Policy

This website uses cookies. We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Cookies are small text files that can be used by websites to make a user's experience more efficient. The law states that we can store cookies on your device if they are strictly necessary for the operation of this site. For all other types of cookies we need your permission.

(

Inspe <mark>c</mark> tly	Løsninger 🗸	Priser	Cases	Academy	С
us regarding your consent. Your consent applies to the following domains: in	-				-

Necessary cookies (13)

Necessary cookies help make a website usable by enabling basic functions like page navigation and access to secure areas of the website. The website cannot function properly without these cookies.

Name	Provider	Purpose	Expiry	Туре
cf_bm	<u>Hubspot</u>	This cookie is used to distinguish between humans and bots. This i beneficial for the website, in orde make valid reports on the use of website.	is er to	HTTP Cookie
_GRECAPTCHA	<u>Google</u>	This cookie is used to distinguish between humans and bots. This i beneficial for the website, in orde	S	HTTP Cookie

	In	spe <mark>c</mark> tly	Løsninger 🗸	Priser	Cases	Academy	С
CONSENT	<u>YouTube</u>	Used to detect if the visitor has accepted the marketing category the cookie banner. This cookie is necessary for GDPR-compliance the website.	5		HTTP Co	okie	
CookieConsent	<u>Cookiebot</u>	Stores the user's cookie consent state for the current domain.	t 1 year		HTTP Co	okie	
embed/v3/counters.gif [x2]	<u>Hubspot</u>	Used to implement forms on the website.	Session		Pixel Trac	ker	
JSESSIONID	<u>New Relic</u>	Preserves users states across p requests.	age Session		HTTP Co	okie	
li_gc	<u>LinkedIn</u>	Stores the user's cookie consent state for the current domain.	t 179 day	S	HTTP Co	okie	

	In	Inspe <mark>c</mark> tly		Cases Academy C
		beneficial for the website, in ord make valid reports on the use of website.		
rc::b	<u>Google</u>	This cookie is used to distinguis between humans and bots.	sh Session	HTML Local Storage
rc::c	<u>Google</u>	This cookie is used to distinguis between humans and bots.	sh Session	HTML Local Storage
rc::d-15#	<u>Google</u>	This cookie is used to distinguis between humans and bots.	sh Persistent	HTML Local Storage
test_cookie	<u>Google</u>	Used to check if the user's brow supports cookies.	ser 1 day	HTTP Cookie



Inspectly

Løsninger 🗸 Priser Cases Academy C

-

Name	Provider	Purpose	Expiry	Туре	
lang [x2]	<u>LinkedIn</u>	Remembers the user's selected language version of a website.	Session	HTTP Cookie	
messagesUtk	<u>Hubspot</u>	Stores a unique ID string for each chat-box session. This allows the website-support to see previous issues and reconnect with the previous supporter.	•	HTTP Cookie	
wp- wpml_current_languag e	inspectly.com	Designates the country code that calculated based on the user's IP address. Used to determine what language should be used for the visitor.	,	HTTP Cookie	

Inspectly

Løsninger 🗸 Priser Cases

Academy

С

and network settings.

Statistics (16)

Statistic cookies help website owners to understand how visitors interact with websites by collecting and reporting information anonymously.

Name	Provider	Purpose	Expiry	Туре
hssc	https://js.hs- banner.com/	Identifies if the cookie data need be updated in the visitor's browse	y	HTTP Cookie
hssrc	https://js.hs- banner.com/	Used to recognise the visitor's browser upon reentry on the web	Session site.	HTTP Cookie
hstc	https://js.hs- banner.com/	Sets a unique ID for the session. allows the website to obtain data	2	HTTP Cookie

	Ins	spe <mark>c</mark> tly	Løsninger 💊	Priser	Cases	Academy	С
_clck	<u>Microsoft</u>	Collects data on the user's navig and behavior on the website. The used to compile statistical repor and heatmaps for the website ov	is is ts		HTTP Co	okie	
_clsk	<u>Microsoft</u>	Registers statistical data on use behaviour on the website. Used internal analytics by the website operator.	for		HTTP Co	okie	
_cltk	<u>Microsoft</u>	Registers statistical data on use behaviour on the website. Used internal analytics by the website operator.	for	on	HTML Lo	cal Storage	
_ga	<u>Google</u>	Registers a unique ID that is use generate statistical data on how visitor uses the website.	-	S	HTTP Co	okie	

	In	spe <mark>c</mark> tly	Løsninger 🗸	Priser	Cases	Academy	С
		has visited the website as well a dates for the first and most rece visit.					
_gat	<u>Google</u>	Used by Google Analytics to thre request rate	ottle 1 day		HTTP Co	okie	
_gid	<u>Google</u>	Registers a unique ID that is use generate statistical data on how visitor uses the website.	-		HTTP Co	okie	
AnalyticsSyncHistory	<u>LinkedIn</u>	Used in connection with data- synchronization with third-party analysis service.	29 days		Pixel Trac	cker	

	Inspe <mark>c</mark> tly		Løsninger 🗸	Priser	Cases	Academy	С
		used to compile statistical repor and heatmaps for the website ov					
CLID	<u>Microsoft</u>	Collects data on the user's navig and behavior on the website. The used to compile statistical repor and heatmaps for the website ov	is is ts		HTTP Co	okie	
collect	<u>Google</u>	Used to send data to Google Analytics about the visitor's devi and behavior. Tracks the visitor across devices and marketing channels.	Session ce		Pixel Trac	cker	
hubspotutk	https://js.hs- banner.com/	Sets a unique ID for the session. allows the website to obtain data visitor behaviour for statistical purposes.	2	5	HTTP Co	okie	

Inspectly

Løsninger 🖌 Priser Cases

Academy

С

and network settings.

Marketing (41)

Marketing cookies are used to track visitors across websites. The intention is to display ads that are relevant and engaging for the individual user and thereby more valuable for publishers and third party advertisers.

Name	Provider	Purpose	Expiry	Туре
hmpl	<u>Hubspot</u>	Collects information on user preferences and/or interaction w web-campaign content – This is used on CRM-campaign-platform used by website owners for promoting events or products.		HTML Local Storage
ptq.gif	<u>Hubspot</u>	Sends data to the marketing plat Hubspot about the visitor's device		Pixel Tracker

	Inspectly		Løsn	ninger 🖌	Priser	Cases	Academy
_fbp	<u>Meta Platforms,</u> Inc.	Used by Facebook to deliver a se of advertisement products such real time bidding from third party advertisers.	as	3 months	;	HTTP Co	okie
_gcl_au	<u>Google</u>	Used by Google AdSense for experimenting with advertiseme efficiency across websites using services.		3 months	;	HTTP Co	okie
_uetsid	<u>Microsoft</u>	Collects data on visitor behaviou from multiple websites, in order present more relevant advertiser – This also allows the website to limit the number of times that th are shown the same advertisem	to ment o ney	1 day		HTML Lo	cal Storage

Inspectly		Løsr	ninger 🗸	Priser	Cases	Academy	(
_uetvid	<u>Microsoft</u>	Used to track visitors on multiple websites, in order to present rele advertisement based on the visit preferences.	vant	1 year		HTML Lo	cal Storage	
_uetvid_exp	<u>Microsoft</u>	Contains the expiry-date for the cookie with corresponding name).	Persisten	t	HTML Lo	cal Storage	
ads/ga-audiences	<u>Google</u>	Used by Google Ads to re-engage visitors that are likely to convert customers based on the visitor's online behaviour across websites	to	Session		Pixel Trac	cker	

	Ins	spe <mark>c</mark> tly	Løsninger 🖌 P	riser Cases	Academy C
		websites. This information is use measure the efficiency of advertisement on websites.	ed to		
bcookie	<u>LinkedIn</u>	Used by the social networking service, LinkedIn, for tracking the of embedded services.	1 year e use	HTTP Co	okie
bscookie	<u>LinkedIn</u>	Used by the social networking service, LinkedIn, for tracking the of embedded services.	1 year e use	HTTP Co	okie
fr	<u>Meta Platforms,</u> <u>Inc.</u>	Used by Facebook to deliver a se of advertisement products such real time bidding from third party advertisers.	as	HTTP Co	okie
HUBLYTICS_EVENTS_5 3	<u>Hubspot</u>	Collects data on visitor behaviou from multiple websites, in order present more relevant advertiser	to	HTML Lo	cal Stc

		Inspe <mark>c</mark> tly	Løsninger ∨	Priser	Cases	Academy	С	
IDE	<u>Google</u>	Used by Google DoubleClick to register and report the website u actions after viewing or clicking of the advertiser's ads with the purpose of measuring the efficat an ad and to present targeted ac the user.	one cy of		HTTP Co	okie		
lidc	<u>LinkedIn</u>	Used by the social networking service, LinkedIn, for tracking the of embedded services.	1 day e use		HTTP Co	okie		
MUID [x2]	<u>Microsoft</u>	Used widely by Microsoft as a un user ID. The cookie enables user tracking by synchronising the ID across many Microsoft domains			HTTP Co	okie		
	<u>Google</u>	Registers a unique ID that identif returning user's device. The ID is		;	HTTP Co	okie	14/20	

11/2/23, 8:28 AM

	In	spe <mark>c</mark> tly	Løsninger	~ v F	Priser	Cases	Academy	С
http://pagead/1p- conversion/#	<u>Google</u>	Collects data on visitor behaviou from multiple websites, in order present more relevant advertise – This also allows the website to limit the number of times that th are shown the same advertisem	to ment o iey	sion		Pixel Trac	ker	
http://pagead/1p-user- list/#	<u>Google</u>	Tracks if the user has shown int in specific products or events ac multiple websites and detects h the user navigates between site This is used for measurement o advertisement efforts and facilit payment of referral-fees betwee websites.	cross ow s. f cates	sion		Pixel Trac	ker	
pagead/landing [x2]	<u>Google</u>	Collects data on visitor behaviou from multiple websites, in order present more relevant advertise – This also allows the website to	to ment	sion		Pixel Trac	ker	

	Ins	spe <mark>c</mark> tly	Løsnin	iger 🗸	Priser	Cases	Academy	(
pagead/viewthroughco nversion/955553268	<u>Google</u>	Pending		Session		Pixel Trac	ker	
SM	<u>Microsoft</u>	Registers a unique ID that identif the user's device during return vi across websites that use the sar ad network. The ID is used to allo targeted ads.	sits ne	Session		HTTP Coo	vkie	
SRM_B	<u>Microsoft</u>	Tracks the user's interaction with website's search-bar-function. Th data can be used to present the with relevant products or service	nis user	1 year		HTTP Coo	vkie	
tr	<u>Meta Platforms,</u> Inc.	Used by Facebook to deliver a set of advertisement products such real time bidding from third party advertisers.	as	Session		Pixel Trac	ker	

	In	spe <mark>c</mark> tly	Løsninger 🗸 Priser	Cases Academy C
		advertisement based on the vis preferences.	itor's	
VISITOR_INF01_LIVE	<u>YouTube</u>	Tries to estimate the users' bandwidth on pages with integr YouTube videos.	179 days ated	HTTP Cookie
YSC	<u>YouTube</u>	Registers a unique ID to keep statistics of what videos from YouTube the user has seen.	Session	HTTP Cookie
yt.innertube::nextId	<u>YouTube</u>	Registers a unique ID to keep statistics of what videos from YouTube the user has seen.	Persistent	HTML Local Storage
yt.innertube::requests	<u>YouTube</u>	Registers a unique ID to keep statistics of what videos from YouTube the user has seen.	Persistent	HTML Local Storage

11/2/23, 8:28 AM

Cookiepolitik – Inspectly

	In	spe <mark>c</mark> tly	Løsning	ger 🗸	Priser	Cases	Academy	(
		YouTube video.						
yt-player-bandaid-host	<u>YouTube</u>	Used to determine the optimal v quality based on the visitor's dev and network settings.		ersistent		HTML Loo	cal Storage	
yt-remote-cast- available	<u>YouTube</u>	Stores the user's video player preferences using embedded YouTube video.	Se	ession		HTML Loo	cal Storage	
yt-remote-cast- installed	<u>YouTube</u>	Stores the user's video player preferences using embedded YouTube video.	Se	ession		HTML Loo	cal Storage	
yt-remote-connected- devices	<u>YouTube</u>	Stores the user's video player preferences using embedded YouTube video.	Pe	ersistent		HTML Loo	cal Storage	

11/2/23, 8:28 AM

Cookiepolitik – Inspectly

Ins		spe <mark>c</mark> tly	I	Løsninger 🗸 Priser Cases Acac				
		You lube video.						
yt-remote-fast-check- period	<u>YouTube</u>	Stores the user's video p preferences using embeo YouTube video.	•	Session		HTML Lo	cal Storage	
yt-remote-session-ap) <u>YouTube</u>	Stores the user's video p preferences using embeo YouTube video.	•	Session		cal Storage		
yt-remote-session- name	<u>YouTube</u>	Stores the user's video p preferences using ember YouTube video.		Session	Session H		cal Storage	
Løsninger	Ressourcer	Kontakt os	۹			ld dig vo	ores	
Digital kvalitetssikring	Kundecases	 ✓ +45 7060 6055 ✓ info@inspectly.com 	© Inspectly	© Inspectly ApS 2023		lsbrev		
Viden & Kommunikation Fotodokumentation	Indsigt Om os		Juridiske d	okumenter			vi deler	

https://inspectly.com/da/cookiepolitik



Tilmeld nyhedsbrev

